


STOP GRUP A.Ş.

Safety First ! Önce Güven

STOP BARIYER®

BARRIER PRODUCT GROUP





Side View
Yan Görünüş



Product QR Code




Ürün QR Kodu

Flat Road Blocker

Body Structure	: St 37 Steel
Moving Part	: ST 37/44 Steel (10/12mm)
Operating Speed	: 0,20m/s
Operating Voltage	: 380 V 50 - 60 Hz
Operational Temperature	: 25. + 60°C
Engine Power	: 3 - 4 - 5.5 kW
Working Frequency	: Daily 500 - 3000 Rounds
Security Class	: K12 - High Security
Surface Coating	: Electrostatic paint





Side View
Yan Görünüş




Ürün QR Kodu



Product QR Code

Oval Road Blocker

Body Structure	: St 37 Steel
Moving Part	: ST 44 Sheet (10/12mm)
Operating Speed	: 0,20m/s
Operating Voltage	: 380 V 50 - 60 Hz
Operational Temperature	: 25. + 60°C
Engine Power	: 3 - 4 - 5,5kW
Working Frequency	: Daily 500-3000 Rounds
Protection Class	: IP55
Impact Resistance	: K12 - High Security
Surface Coating	: Electrostatic paint






Product QR Code

On Ground Road Blocker

Body Structure	: St 37 Steel
Moving Part	: St 44 Sheet (10/12mm)
Operating Speed	: 0,20m/s
Operating voltage	: 380 V 50 - 60 Hz
Operational Temperature	: 25 + 60 C
Engine Power	: 3 - 4 - 5,5kW
Working Frequency	: Daily 500-3000 Rounds
Security Class	: K8 - Security Level
Surface Coating	: Electrostatic Paint





STOP BARIYER®





Product QR Code

Horizontal Arm Barrier

Body Structure	: 20 mm. ST44 Steel
Opening Closing	: Controlled hydraulic system (40sec.)
Protection Class	: IP54
Impact Resistance	: K12 - High Security
Arm Size	: 350 x 175 x 2.000 - 10.000 mm.
Arm Height	: 800 mm.
Body Size	: 1500 x 1600 x 1100 mm.
Stimulant	: Red Leds, Reflective Ribbon

Production according to international standards.
Functionally configurable barriers. The barriers are always locked.
Electronic safety measure against jamming.



Fixed Barrier

STOP BSB KF

Size	: 500x114x3mm
Material	: ST44 3mm Steel
Weight	: 8kg
Flange	: 250x250mm / Ø250mm
Impact Resistance	: Medium Security
Paint and Coating	: Hot-dip Galvanized, Electrostatic paint



Product QR Code



STOP BSB

Size	: 500x114x3mm
Material	: CR304 3mm Steel
Weight	: 5,5kg
Impact Resistance	: K4 Medium Security



Product QR Code



STOP SB

Size	: 850x90mm / 800x90mm
Material	: 3mm Steel
Weight	: 6,5kg
Flange	: Ø250mm



Product QR Code



STOP PSB YAF

Size	: 500x170x5mm
Material	: CR304 5mm Stainless Steel
Weight	: 11kg
Flange	: Ø250mm
Impact Resistance	: K4 Medium Security



Product QR Code





Product QR Code


Parking Products

- ✓ Practical Chained Barrier
- ✓ Locked parking post
- ✓ Vehicle Stopper





Product QR Code




On Ground Road Trap (Tire Killer)

Body Structure	: ST44 Steel
Opening Closing	: Manuel lock
Security Class	: Medium security
Surface Coating	: Electrostatic paint
Tooth Thickness	: 10mm
Tooth Height	: 45mm

Road Trap which special product is used to arrange traffic as only one direction or to prevent the passing of unwanted tools with their teeth blocking the wheels of vehicle. These are manually controlled barriers.



Ürün QR Kodu



Road Trap (Tire Killer)

Body Structure	: ST44 over Hot dip Galvanized
Open/Close	: Manuel Lock
Security Class	: Medium Security
Optional	: Auto Lock
Tooth Thickness	: 10mm
Tooth Height	: 86mm
Outer Case	: 350x180x1000/2000mm

Road Trap which special product is used to arrange traffic as only one direction or to prevent the passing of unwanted tools with their teeth blocking the wheels of vehicle. These are manually controlled barriers. Manuel or Hydraulic control options.



Product QR Code

Anti Terror Road Trap (Tire Killer)

Body Structure	: ST44 Steel
Opening Closing	: Controlled hydraulic system (2sec.)
Security Class	: IP54
Tooth Thickness	: St 15mm Steel
Tooth Height	: 340 mm.
Optional	: Control Button
Outside Case	: 520(W) x 110(H) x 2000 / 5000(L)mm.

Road Trap which special product is used to arrange traffic as only one direction or to prevent the passing of unwanted tools with their teeth blocking the wheels of vehicle.





Product QR Code

Doors & Fence

- | | |
|------------------------|-----------------------|
| ✓ Factory Doors | ✓ Panel Fence |
| ✓ Villas Doors | ✓ Decorative Fence |
| ✓ Garden Doors | ✓ Double Panel |
| ✓ Panel Door | ✓ Wire Fence |
| ✓ Automatic Doors | ✓ Whorled Razor Wire |
| ✓ Decorative Doors | ✓ Planar Razor Wire |
| ✓ Railed Doors | ✓ Straight Razor Wire |
| ✓ Double Opening Doors | |
| ✓ Service Doors | |



STOP GRUP A.Ş.

www.stopgrup.com

STOP BARIYER

www.stopbariyer.com

STOP ÇİT

www.stopcit.com

STOP TRAFİK

www.stoptrafik.com

STOP SPOR

www.stopspor.com

STOP ENERJİ

www.stopenerji.com

STOP İNŞAAT

www.stopinsaat.com

Stop Grup Güvenlik Sistemleri İnş. San. Tic. ve A.Ş.

Güzelce Mahallesi İskenderun Caddesi No:6 E-5 Üzeri
(Güzelce Kavşağı Yanı) Büyükçekmece - İstanbul / Türkiye

☎ +90 212 868 08 90-91

☎ +90 212 868 08 87

✉ info@stopgrup.com