



Model NO.: RB-M01

Roller

Material: steel or aluminum powder coated in black,

Braking system: A slowly braking system for safety

Adaptor: Plastic adaptor suitable for any \$\phi\$ 63.50mm post

Zipper:Extra plastic zipper as repair parts for replacement or install the banner.

Bottom beam: \$22mm bottom beam with handle Ring clamp: Two plastic clamps hold the post at the bottom.

Patented certificate #201420376380.4 Patented certificate #201430227810.1

Banner

Material: PVC, mesh PVC, etc.

Size: 1120*900mm / 1500*900mm





















Roller banner technology is a random stop system. Extremely easy to use and install.

Banners with different pictures could be changed when different use or application comes.

Best way to avoid embarrassment of waiting, explore commercial opportunity.











Model NO.: CB-35ID

• Briefintroduction.

Café Barriers is the best choice for separating specific places for restaurant, café, club, stores and supermarkets. It can create any specific area and promoting your advertisement, special offers at the same time.


• Features:

Maximize outdoor seating area, Branded cafe barriers available, Two sides printing available, various color/material options. Multiple finishes.

Specifications: SIZE

Barriers center distance : L1000X1500mm(standard) Banner: option

L800X1500mm L800X2000mm



Barrier:

Material: Stainless Steel Finishes: SS polish/brush steel Base: 8/13.5kgs with iron









• Size: L1200mmX800 mm 11700mm X800mm



Café Barriers Material Selections













Model NO.: BP-36ICD-AL

Cassette: Braking cassette for safely slow retraction 4-way retractable belt

Belt: 2.3-3.6m length / 4.8cm width

Tube: φ76mm aluminum tube

Cover: ϕ 360mm ABS cover or chromed cover

Base: Iron base or concrete rubber base

Finishes: Polish, brushed, chromed, powder coated black or white, winkle black

Overall height:1000mm







Color Selections:





Model NO.: Aluminum beam

Aluminum beam for aluminum retractable belt barrier

Material: Aluminum

Size:1.2 m length/5.7cm width

Finishes: Powder coated black











FF-BP

Cassette: Braking cassette for safely slow retraction 4-way retractable belt


Belt length: 2.3-3.6m length / 4.8cm width

Tube: \phi63.50mm tube with 1.2m wall thickness

Finishes: Polish, brushed, black

Overall height: Customizd height avaible





Color Selections:

P01 P02 P04 P06	P06-W P16	P17 P18	P19 P2	0 P21 P22	P06-0.57 P07-0.57	P09-0.57 P16-0.57 P18-0.
P07 P08 P09 P10	P11 P12	P13 P14 P1	5 P25	P26 P30 P	31 P32 P33	P34 P35 P36

Model NO.: F-BP-AL/F-BP-SS

Cassette: Braking cassette for safely slow retraction 4-way retractable belt

Tube: φ76mm aluminum tube,

φ63.50mm stainless steel or steel post

Base: q120mm steel plate with 4 expansion bolts

Plate: q120mm steel plate cover

Finishes: Polish, brushed, chromed, powder coated black or white, winkle black

Overall height: 1000mm

Aluminum beam size: Hard connection: Aluminum Beam instead of belt 1.2 m length/5.7cm width



P01 P	02 P04 P0	06 P06-W P16	P17 P18	P19 (P20 P21	P22 P06-0.57	P07-0.57 P09-0.57 P16-0).57 P18-0.
P07 P0)8 P09 P10	P11 P12	P13 P14 P	15 P25	P26 P30	P31 P32	P33 P34 P3	5 P36



Model NO.: F-RP-SS

Function.Semi-permanent fixed rope post
Head:Crown/ ball/ Flat head
Tube:φ50.80mm stainless steel tube
Socket:ainless steel #304 socket for post fixed
Socket cover:Brushes finishes
Overall height:950mm
Finishes:Brushed
4-way retractable belt





















Model NO.: BP-35ID

Cassette: Braking cassette for safely slow retraction 4-way retractable belt

Technology provider

Bett: 2 3-3.6m length/ 4.8cm width

Tube: φ50.80mm tube with φ63.50mm head φ63.50mm tube

Cover: ϕ 350mm stainless steel or steel cover

Base: 8kg or 13,5kg iron base Regular M12 bolt connection or threaded iron base

Finishes: Polish, brushed, powder coating

Overall height: 975mm



Color Selections:





Cassette: Braking cassette for safely slow retraction 4-way retractable belt

Belt: 2.3-3.6m length/ 4.8cm width

Tube: φ63.50mm stainless steel or steel post

Cover: φ375mm 1.2mm thickness CHROMED cover

Base: 7.5kgs Iron base with rubber under the base for floor protection

Overall height: 955mm











Model NO.: BP-35IF-WH

Cassette: Braking cassette for safely slow retraction 4-way retractable belt

Belt: 2.3-3.6m length/ 4.8cm width

Tube: φ63.50mm stainless steel or steel tube

Cover: $\phi 350$ mm stainless steel or steel cover

Base: Wheeled iron base with rubber under the base for floor protection

Finishes: Polish, brushed, powder coating

Overall height: 955mm











Color Selections:





Model NO.: BP-36IF

Cassette: Braking cassette for safely slow retraction 4-way retractable belt

Belt: 2.3-3.6m length/4.8cm width

Tube: φ63.50mm stainless steel or steel tube

Cover: ϕ 360mm stainless steel or steel cover

Base: Stackable iron base with rubber under the base for Noor protection

Finishes: Polish, brushed, powder coating

Overall height: 950mm







Model NO.: BP-35IF Cassette: Braking cassette for safely slow retraction 4-way retractable belt Belt:2.3-3.6m length/ 4.8cm width Tube: φ63.50mm stainless steel or steel tube Cover: $\phi350$ mm stainless steel or steel cover Base: Flat iron base with rubber under the base for floor Finishes: Polish, brushed, powder coating Overall height: 955mm

Color Selections:





Model NO.: DBP-36CI

Cassette: Braking cassette for safely retraction 4-way retractable belt

Belt: 2.3-3.6m length/ 4.8cm width

Tube: φ63.50mm stainless steel or steel tube

Cover: \(\phi 360mm \) stainless steel or steel cover

Base: Iron Base or Concrete rubber base

Finishes: Polish, brushed, powder coating

Overall height: 1000mm









Model NO.: BP-35CF

Cassette: Braking cassette for safely slow retraction 4-way retractable belt

Belt: 2.3-3.6m length/ 4.8cm width

Tube: φ63.50mm stainless steel or steel tube

Cover: p350mm flat stainless steel or steel domed cover

Base: Flat concrete base with rubber under the base for floor protection

Finishes: Polish, brushed, powder coating

Overall height: 1000mm





Color Selections:





Model NO.: BP-32CI

Cassette: Braking cassette for safely slow retraction 4-way retractable belt

Belt: 2.3 m length/4.8cm width

Tube: φ63.50mm stainless steel or steel tube

Cover: \p320mm stainless steel or steel domed cover

Base: Domed concrete base with rubber under the base for floor protection

Finishes: Polish, brushed, powder coating

Overall height:910mm









Model NO.: BP-36CD

Cassette: Braking cassette for safely slow retraction 4-way retractable belt

Belt: 2.3-3.6mm length/ 4.8cm width

Tube: φ63.50mm stainless steel or steel tube

Cover: p360mm stainless steel or steel domed cover

Base: Domed concrete base with rubber under the base for floorprotection

Finishes: Polish, brushed, powder coating, CHROMED

Overall height: 1000mm



Color Selections:









Model NO.: BP-UT

Cassette: Braking cassette for safely slow retraction 4-way retractable belt

Belt: 2.3-3.6m length/ 4.8cm width

Tube: φ 63.50mm plastic tube

Base: Recycled rubber Base

Overall height: 935mm

Color: Yellow, red



Color Selections:



Model NO.: BP-CC10

Feature: Cone catridge for outdoor using

Cassette: Braking system cassette with 10 m eters polyester webbing

Belt: 9 meters long/ 4.8cm wide polyester water proof

Body: ABS plastic body

Color of body: Yellow or red available







ARSENAL® Technology provider

Model NO.: RP-32CD

Head: Crown/ ball/ flat head

Tube: φ 50.80mm stainless steel or steel tube

Cover: ϕ 320mm stainless steel or steel domed cover

Base: Domed concrete base with rubber under the base for floor protection

Finishes: Polish, brushed, golden, powder coating


Overall height: 910mm



















Head: Crown/ ball/flat head

Tube: ϕ 50.80mm stainless steel or steel tube

Cover: ϕ 360mm stainless steel or steel domed cover

Base: Domed concrete base with rubber under the base for floor protection

Finishes: Polish, brushed, golden, powder coating















Model NO.: RP-35CF

Head: Crown/ ball/ flat / crown flat head

Tube: ϕ 50.50mm stainless steel or steel tube

Cover: ϕ 350mm stainless steel or steel flat cover

Base: Flat concrete base with rubber under the base for floor protection

Finishes: Polish, brushed, golden, powder coating

Overall height: 1000mm









Head: Crown/ball/flat head

Tube: φ 50.80mm stainless steel or steel tube

Cover: (p 360mm stainless steel or steel cover

Base: Stackable iron base with rubber under the base for floor protection

Finishes: Polish, brushed, golden, powder coating









Model NO.: RP-35ID

Head: Crown/ ball/ flat head

Tube: φ 50.80mm stainless steel or steel tube

Cover: ϕ 350mm stainless steel or steel cover

Base: Threaded iron base or regular M12 connection with rubber under the base for floor protection.

Finishes: Polish, brushed, golden, powder coating

Overall height: 1000mm





















Head: Crown/ ball/ flat head

Tube: φ 50.80mm stainless steel or steel tube

Cover: (p350mm stainless steel or steel cover

Base: Flat iron base with rubber under the base for floor

Finishes Polish, brushed, golden, powder coating











Model NO.: RP-35IS

Head: Crown/ ball/ flat head

Tube: φ 50.80mm stainless steel or steel tube

Cover: φ 350mm stainless steel or steel stepped cover

Base: Iron base with rubber under the base for floor protection

Finishes: Polish, brushed, golden, powder coating























Model NO.: RP-32CH

Head: Crown/ ball/ flat head

Tube: φ 50.80mm stainless steel or steel tube

Cover: ϕ 320mm stainless steel or steel cover

Base: Concrete base with rubber under the base for foor

Finishes: Polish, brushed, golden, powder coating

Overall height: 1000mm













Mode NO.: DL22

Material: Steel

Finish:Powder coating

Size:1000Lmmx900Lmmx50Wmm

Weight: 3.8kg







Model NO.: WB-2/WB-4

Wall unit style

Centrifugal braking cassette with 2 or 4-Way retractable belt

Material: Stainless steel or steel

Finishes: Polish, black

WB-2: 2.3~3.6m long with 4.8cm wide belt

WB-4: 4~4.5m long with 4.8cm wide belt















Model NO.: WU-2-RD

Recessed wall unit style

Belt: 2.5m length/ 4.8cm width





Model NO.: WU-P

Wall unit style

Centrifugal braking cassette with 2 or 4-Way retractable belt Material: Plastic

Color available: black, yellow, red Belt: 2~10m long / 4.8cm wide















Model NO.: WU-RT

180 degree ROTATED wall unit style Material: Plastic Color available: black, yellow, red Belt: 4.5m long / 4.8cm wide













Model NO.: WU-ROD

180 degree ROTATED wall unit style Material: Plastic Color available: black Belt: 4.5m long / 4.8cm wide





Model NO.: SH-A4/SH-A3

Style: Portrait/lanscape

Material: Stainless steel or steel frame, SS / steel / PA adptor

For retractable belt barriers with φ 63.50mm tube or Aluminum posts.











Model NO.: SH-A4B

Material: Steel powder coating black frame, PA or steel black adaptor

Frame: 227mmW*210mmH (A4)

For retractable belt barriers or Aluminum posts.





Model NO.: SH-A4C

Style: Portrait

Material: Stainless steel

For rope barrier with ϕ 50.80mm tube



Model NO.:SH-A4D

Material: Aluminum U-shape Bracket to hold 5mm acylic sheet, PA adaptor

Frame:A4

For retractable belt barriers or Aluminum posts



Model NO.:RC-2/RC-4



RC-2: 2.3~3.6m belt, \phi63.50mm RC-4: 4~5m belt, \phi76.00mm Slowly belt retracting for safety





Model NO.:ARC-2

Cassette for aluminum post Braking system cassette with 2.3~3.6 meters belt

Model NO.:SE-01&02



Snap end of hook

SE-01: φ40mm SE-02: φ30mm

Material: Zinc-alloy

Finishes: Polish, brushed, golden, powder coating

Model NO.:WP



Wall plate for ropes Material: Stainless steel Finishes: Pollsh, golden

Model NO :RV

Velvet ropes

Material: Velvet rope with foam core or cotton core

Size: ϕ 28mm, ϕ 38mm

Length: 1.2m, 1.5m, 1.8m, 2.4m

Model NO.:RB

Twisted rope

Material: Twisted rope

Size: ϕ 28mm

Length: 1.2m, 1.5m



Available colors of velvet ropes

